H3EA Element SST CE **EURO**

22.2" x 20.4" x 7.5" (56.4cm x 51.8cm x 19.1cm)



- LED display provides simple temperature adjustment
- Thinsulate® tank insulation provides increased energy efficiency
- Digital thermostat provides consistent and accurate temperatures of 15.6-96C (Deg) (60-205F MAX)
- · Contemporary, low-profile design for front-of-house and selfservice settings
- Matching Blue LED dispense button
- Programmable "Energy Saver Mode" reduces operating costs during idle periods
- 196mm (7.75in) cup clearance accommodates a range of serving options for custom-crafted, hand pour coffees and teas

Agency:

Dispense: Push Button

EHE ϵ

Specifications

Product #: 45300.0002

Water Access: Plumbed

Finish: Stainless

Temp. Setting: 205°F (96.111°C)

Dispense: Portion Control

Additional Features

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
220-240	11.5-12.5	2500-3000	Yes	EURO 16A	-	60°F (15.5°C)	1	2	50-60

Plumbing Requirements

PSI kPa **Fitting Supplied** Water Flow Required (GPM) 20-90 138-621 3/4" BSPP

CAD Drawings


2D	Revit	KLC
•		

Created on:

12/13/2018



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



	Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	7.5 in.	22.2 in.	20.4 in.	10.6 in.	32.3 in.	21.9 in.	34.000 lbs	4.398 ft ³	
Metric	19.1 cm	56.4 cm	51.8 cm	26.9 cm	82.0 cm	55.6 cm	15.422 kgs	0.125 m³	



Related Products & Accessories: H3EA Element SST CE EURO(45300.0002)

TRAY, DRIP H3E ELEMENT

Product #: 48885.0001



Serving & Holding Options: H3EA Element SST CE EURO(45300.0002)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

