



WMF 150 F – The slim filter coffee machine

PROFESSIONAL
COFFEE
MACHINES



WMF 150 F

THE SLIM FILTER COFFEE MACHINE

Its narrow silhouette is perfectly designed to match the WMF speciality machines.

Aromatic filter coffee – just like the coffee from the WMF 150 F – has been a favourite for a long time. In fact, it is almost impossible to imagine breakfast meetings, parties, events or being in the office without it.

Thanks to its hourly output of up to 144 cups, the WMF 150 F is the ideal appliance to cover small to medium filter-coffee needs.

It makes a great impression either as additional equipment or as a stand-alone appliance.

It's really simple to use: Insert the filter paper, pour in the coffee grounds, pre-select the volume – done! The brewed coffee is dispensed into the insulated jug below in volumes of 1, 1.5 or 2 litres.

A particularly appealing feature: Choose from 16 different colour tones to illuminate the side surfaces. It also offers the option to use this colours as a running light in a loop.



Control panel

Volume Display

Filter unit

Insulated jug

Drip tray



Descaling display

Start/stop button

Volume Button

Brewing process display

Illuminated side surfaces

On/off switch



Environmentally friendly thanks to "Green WMF"
 Reduced energy consumption, reduced use of chemicals, and almost 100 % recycling – these are just a few of the points in the sustainable WMF concept.



Service
 A worldwide service network unique in the industry covering more than 70 countries ensures that you can always rely on your wmf coffee machine.



WMF 150 F – can be perfectly combined with the new WMF product range.

WMF 150 F rear view

WMF 150 F side view

WMF 150 F technical data

Recommended daily output / max. output per hour*	Up to 144 cups
Nominal power rating / mains power connection	2 - 2.2 kW / 220 - 240 V
Outer dimensions (width / height / depth)	250 / 528 / 546 mm
Net weight	Approx. 7.5 kg
Continuous sound pressure level (LpA)**	< 70 db (A)

* The output depends on the cup size, the quality settings, the dispenser, the equipment and the nominal power rating. The recommended max. daily output is based on the relevant service concept. These average values are for your information only. – Let our trained WMF employees put together a coffee machine solution that is designed to meet your needs.

** Height measured with bean hopper, with lock but without key.

*** The A-rated sound pressure level LpA (slow) and LpA (impulse) at the operators' workplace lies below 70 dB (A) in every operating mode.

If the carbonate hardness is 5° dKH or above, a WMF water filter must be used.



Our complete catalogue contains lots of additional information on the following topics

- A performance overview showing all coffee machines
- Made-in-Germany production
- Milk and steam systems (Basic Milk, Easy Milk, Active Milk, Basic Steam, Easy Steam and Auto Steam)
- Additional equipment (such as cup racks, coolers, Cup&Cool, vending devices, etc.)
- Speciality coffees (which specialities can be prepared with which coffee machines)

You can request the complete catalogue from our customer service centre using the order number 63.8042.0391.

WMF AG Coffee Machines International
 Eberhardstrasse · D 73312 Geislingen/Steige, Germany
 Phone +49 7331-258 482 · Fax + 49 7331 258 792
 gastro-export@wmf.de · www.wmf-coffeemachines.com

3228 # 63.8365.0391 Printed in Germany 04.14

The entire content of this brochure is subject to technical alterations, errors and misprints.

